




EVOKE  
THE  
*Grandness*



**Flute**  
COLLECTION

**PRODUCT SIZE:**  
75x300mm



# Flute

COLLECTION

Fluted tiles are a versatile and stylish way to add a touch of luxury and sophistication to any space in your home. With their shallow, curved grooves, fluted tiles can create a sense of depth and dimension, making your space feel more elegant and refined.



### Features & Advantages



Chemical  
Resistance



Heat & Fire  
Resistance



Abrasion  
Resistance




High Tensile  
Strength



Less Water  
Absorption



Environment  
Friendly





**BAMBU  
GREEN**

Size:  
**75x300mm**

Matt  
Finish

10mm  
Thickness







CHALK  
YELLOW

Size:  
75x300mm

Matt  
Finish

10mm  
Thickness







CRON  
BLACK

Size:  
75x300mm

Matt  
Finish

10mm  
Thickness







DENIM  
BLUE

Size:  
75x300mm

Matt  
Finish

10mm  
Thickness






**DUSTY  
GREY**


Size:  
**75x300mm**

Matt  
Finish

10mm  
Thickness









LINEN  
WHITE

Size:  
75x300mm

Matt  
Finish

10mm  
Thickness







MARINE  
BLUE

Size:  
75x300mm

Matt  
Finish

10mm  
Thickness






TERRA

Size:  
75x300mm

Matt  
Finish

10mm  
Thickness



## TECHNICAL SPECIFICATION

CHARACTERISITICS	EURO STANDARD	SUBWAY TILES
<b>DIMENSION &amp; SURFACE QUALITY</b>		
Dimension & Surface Quality	± 0.5%	± 0.2%
Deviation in thickness	± 0.6%	± 0.2%
Straightness of sides	± 0.3%	± 0.2%
Rectangularity	± 0.5%	± 0.3%
Surface Flatness	± 0.5%	± 0.3%
Surface Quality	± Min 95%	± Min 96%
<b>PHYSICAL PROPERTIES</b>		
Water Absorption	> 10 %	≥ 10 %
Bend Strength	> 150Kg./Cm	> 200-250Kg./cm
Scratch Hardness (Moh's)	Min 3	Min 3
Crazing	1 Cycle	No Craxing at 2 Cycle
<b>CHEMICAL PROPERTIES</b>		
Staining Resistance	Min Class 2	Resistance to All Acids And Alkalies
Household Chemical	Min Class B	Household Chemicals Except Hydro Fluric Acid
<b>THERMAL PROPERTIES</b>		
Thermal Shoke	Resistant to 10 Cycle	Conforms
Thermal Expansion	Max-9E-06	Conforms

## PACKING DETAILS

Dimension	Tiles per Box (Pcs.)	Area Coverage per Box (Sq.Ft.) Approx	Area Coverage per Box (sq.Mt.) Approx	Weight per Box (Kg.) Approx	Thickness(mm) Approx
75x300mm	20	4.85	0.45	7.00	10.00

### Note:

- 01) Size/shade variation is inherent in ceramic tiles, in case of any complain its should be brought to our dealer's notice before laying the tiles
- 02) Color Shown are indicative only. Check actual tiles for exact color.
- 03) The information contained in this catalogue are accurate as possible, but cannot be contained as legally binding.
- 04) Customers are advised to inspect a sample of the tiles before ordering.
- 05) The company reserved the right to change the specification without prior notice.

## Product Applications:

 Hospital	 Mall	 Religious Place	 Theater	 House	 Discotheques	 Airport	 Café / Bar
---	---	--	--	---	---	--	---